



**Austral Wire
Products**



PRODUCT CATALOGUE

FENCING PRODUCTS



CONTENTS

STEEL FENCE POSTS	3
FENCE DROPPERS	4
FARM GATES	4
GATE FITTINGS	7
TIE WIRE	8
WIRE JOINERS	10
- FASTLINK™	
WIRE JOINERS	11
- CRIMPS & TOOLS	
RING FASTENING	12
- MANUAL	
RING FASTENING	13
- PNEUMATIC & BATTERY	
FENCING CLIPS & TIES	14
FENCING STAPLES	15
- DELFAST	
FENCING STAPLES	16
FENCING TOOLS	17
WIRE NETTING & WELDED MESH	19
HEAVY WIRE NETTING	20
FINE WELDED MESH	21
HEAVY WELDED MESH	22
CHAIN MESH	23

Catalogue Edition: September 2025



Austral Wire Products

Sydney, Australia

For 30 years Austral Wire Products, a 100% Australian owned company, has manufactured a diverse range of rural fencing products and has earned a reputation of being a quality focused and reliable supplier to the rural industry.

We are proud to present the AWP Fencing product range, which includes:

- Steel Fence Posts
- Fencing Tools
- Ring Fasteners
- Wire Netting
- Farm Gates
- Wire Joiners
- Tie Wire
- Welded Mesh



STEEL FENCE POSTS

Austral Wire Products imported fence posts are high quality and are supplied with universal hole spacings. Available in a range of sizes, our posts are available in both black bitumen and galvanised steel.

HOLE SPACING - HOLE DIAMETER 8 mm



FENCE DROPPERS

PART NO #	DESCRIPTION	LENGTH (CM)	WEIGHT (EA)
STEEL FENCE DROPPERS			
855100	Fence Dropper (Bundle 25)	63.5	7.1 kg
855105	Fence Dropper (Bundle 25)	81.5	9.1 kg
855110	Fence Dropper (Bundle 25)	94	10.2 kg
855115	Fence Dropper (Bundle 25)	107	11.8 kg
855120	Fence Dropper (Bundle 25)	117	12.9 kg
855135	Fence Dropper - Clips (Pkt 250)	-	0.5 kg



Part No. 855110

94cm Fence Dropper (Bundle 25)


FARM GATES

AWP Farm Gates are 1170mm high. All Farm Gates are manufactured using high quality 25Nb hot dip galvanised tube with a strong 2.0mm wall thickness.

5 Bar GATE

5 Bar Farm Gates are manufactured with strength in mind, suitable for cattle and high pressure livestock situations.

PART NO #	MESH INFILL	WIDTH (MM)	HEIGHT (MM)	BRACE	WEIGHT (EA)
5 BAR FARM GATES					
830100	-	1000 mm / 3'3"	1170	-	11.0 kg
830116	-	1160 mm / 4'	1170	-	12.1 kg
830177	-	1770 mm / 6'	1170	-	18.0 kg
830237	-	2370 mm / 8'	1170	1 Brace	23.0 kg
830297	-	2970 mm / 10'	1170	1 Brace	27.0 kg
830357	-	3570 mm / 12'	1170	1 Brace	31.0 kg
830417	-	4170 mm / 14'	1170	2 Brace	38.0 kg
830477	-	4780 mm / 16'	1170	2 Brace	44.0 kg



Part No. 830297

5 Bar Gate: 2970mm (10')



Part No. 830100


5 Bar Gate: 1000mm (3'3")

N Safe GATE

N SAFE MESH FARM GATES

N Safe Mesh Farm Gates are manufactured using our exclusive, design registered, mesh pattern. Graduating from smaller spacing at the bottom of the gate to larger at the top, and with picket wires 250mm apart, these gates are made for little critters and big alike. The N Stay gives you confidence in the strength of the gate.

PART NO #	MESH INFILL	WIDTH (MM)	HEIGHT (MM)	BRACE	WEIGHT (EA)
N SAFE MESH FARM GATES					
820298	5mm Graduated	2980 mm / 10'	1170	N Brace	25.7 kg
820358	5mm Graduated	3580 mm / 12'	1170	N Brace	29.4 kg
820418	5mm Graduated	4180 mm / 14'	1170	N Brace	33.1 kg
820478	5mm Graduated	4780 mm / 16'	1170	N Brace	36.9 kg



Part No. 820418

N-Safe Gate: 4180 mm (14')

FARM GATES

W Safe GATE

PART NO #	MESH INFILL	WIDTH (MM)	HEIGHT (MM)	BRACE	WEIGHT (EA)
W SAFE MESH FARM GATES					
820490	5mm Graduated	2980 mm / 10'	1170	W Brace	28.7 kg
820492	5mm Graduated	3580 mm / 12'	1170	W Brace	32.7 kg
820494	5mm Graduated	4180 mm / 14'	1170	W Brace	36.7 kg
820496	5mm Graduated	4780 mm / 16'	1170	W Brace	40.6 kg
820488	5mm Graduated	6040 mm / 20'	1170	W Brace	47.5 kg



Part No. 820490


W-Safe Gate: 2980 mm (10')
Mesh: 5mm Graduated

HORSE MESH GATES

The Horse Mesh Gate provides superior hoof protection minimizing step through with the 100 x 50mm mesh aperture.

Part No. 825298

Horse Mesh Gate: 2980 mm (10')
Mesh: 100 x 50 mm




PART NO #	MESH INFILL	WIDTH (MM)	HEIGHT (MM)	BRACE	WEIGHT (EA)
HORSE MESH GATES					
825116	100 x 50 mm	1160 mm / 4'	1170	-	12.5 kg
825238	100 x 50 mm	2380 mm / 8'	1170	Vertical	24.0 kg
825298	100 x 50 mm	2980 mm / 10'	1170	Vertical	28.9 kg
825358	100 x 50 mm	3580 mm / 12'	1170	Vertical	33.5 kg

Chain Mesh Gate

AWP Chain Mesh Gate has a height of 970mm and is manufactured from high quality hot dip galvanised pipe. Galvanised in the inside and out for maximum protection and long life. Slide bolt included.

Part No. 810070





CHAIN MESH GATE

PART NO #	810070
MESH INFILL	Knuckle / Knuckle
HEIGHT (MM)	1800
WIDTH (MM)	970
BRACE	Vertical
WEIGHT (EA)	13.5 kg

FARM GATES

Part No. 810298


I-Safe Gate: 2980 mm (10')
Mesh: 5mm Graduated



I-SafeGATE


The I Safe Farm Gate is supplied with graduated horizontal mesh spacings (closer mesh spacings graduating from the bottom up), which will ensure an effectively superior barrier in preventing most feral pests & smaller livestock breaching the fence line.

PART NO #	MESH INFILL	WIDTH (MM)	HEIGHT (MM)	BRACE	WEIGHT (EA)
I SAFE - VERTICAL STAY MESH FARM GATES					
810085	5mm Graduated	850 mm / 3'	1170	-	8.0 kg
810100	5mm Graduated	1000 mm / 3'3"	1170	-	9.0 kg
810116	5mm Graduated	1160 mm / 4'	1170	-	10.0 kg
810146	5mm Graduated	1460 mm / 5'	1170	-	13.0 kg
810177	5mm Graduated	1770 mm / 6'	1170	-	14.0 kg
810238	5mm Graduated	2380 mm / 8'	1170	1 Brace	18.0 kg
810298	5mm Graduated	2980 mm / 10'	1170	1 Brace	21.0 kg
810358	5mm Graduated	3580 mm / 12'	1170	1 Brace	24.0 kg
810418	5mm Graduated	4180 mm / 14'	1170	2 Braces	29.0 kg
810478	5mm Graduated	4780 mm / 16'	1170	3 Braces	32.0 kg



Part No. 820482

M-Safe Gate: 3580 mm (12')
Mesh: 5mm Graduated



M-SafeGATE

The M Safe Feral Bloc Farm Gate is supplied with graduated horizontal mesh spacings (closer mesh spacings graduating from the bottom up), with an overall height of 1670mm meaning it will ensure an effectively superior barrier in preventing most feral pests & smaller livestock breaching the fence line.

PART NO #	MESH INFILL	WIDTH (MM)	HEIGHT (MM)	BRACE	WEIGHT (EA)
M SAFE MESH FARM GATES					
820482	5mm Graduated	3580 mm / 12'	1670	M Brace	42.0 kg
820484	5mm Graduated	4180 mm / 14'	1670	M Brace	46.0 kg
820486	5mm Graduated	4780 mm / 16'	1670	M Brace	53.0 kg

GATE FITTINGS

AWP offers a wide range of galvanised Gate Fittings complement our selection of high quality Farm Gates.

Our Gate Fittings are also available in handy packs to ensure you have all the necessary pieces you need to hang your gate efficiently and easily.

Part No. 840815



Part No. 840865




Part No. 840802



Part No. 840852



Part No. 840804



Part No. 841806



Part No. 841804



Part No. 841802



Part No. 840870




Part No. 13110 / 13100



Part No. 840854



Part No. 840803



Part No. 841808



Part No. 841810



Part No. 841812




PART NO #	PACK STYLE	LATCH	WEIGHT (EA)		
GATE FITTINGS - THRU POST					
840804	AGF4DL	Drop	Heavy Duty Pack – 400mm Bolt Thru	(No. 3)	3.0 kg
840854	AGF4RL	Ring	Heavy Duty Pack – 400mm Bolt Thru	(No. 4)	2.9 kg
840852	AGF2RL	Ring	Bolt Thru Top Strap	(No. 6)	1.5 kg
GATE FITTINGS - SCREW IN / ON POST					
840815	AGF15DL	Drop	Multi-Fit Pack	(No. 1)	1.6 kg
840865	AGF15RL	Ring	Multi-Fit Pack	(No. 2)	1.5 kg
840802	AGF2DL	Drop	Economy Pack	(No. 5)	1.6 kg
840803	AGF3DL	Drop	Bolt On Pack	(No. 7)	1.6 kg
GATE FITTINGS - BOLT ON ROUND POST					
13100	-	Ring	80Nb Round Post (Standard 25Nb Farm Gate)		2.4 kg
13105	-	Drop	80Nb Round Post (Standard 25Nb Farm Gate)		2.4 kg
13110	-	Ring	100Nb Round Post (Standard 25Nb Farm Gate)		2.7 kg
13115	-	Drop	100Nb Round Post (Standard 25Nb Farm Gate)		2.7 kg
GATE FITTINGS - WELD ON POST					
840870	-	-	Bolt On Double Gate Latch (500mm Chain)		2.5 kg
841806	-	Drop	16mm Weld On Pin/Sleeve Twin Pack		1.1 kg
841804	-	Drop	20mm Weld On Pin/Sleeve Twin Pack		1.9 kg
841802	-	Drop	27mm Weld On Pin/Sleeve Twin Pack	(No. 10)	3.5 kg
GATE FITTINGS - LOOSE FITTINGS					
841812	-	-	Double Gate Bow (25Nb)		1.4 kg
841810	-	-	Top Strap & Saddle (25Nb)		0.5 kg
841808	-	-	Bolt On/Weld On Gudgeon (25Nb)		0.3 kg

TIE WIRE

It doesn't matter where you go in Australia, a coil of tie wire is a must carry item!

From tying off a fence to a post, to holding the exhaust on the old EH Holden Ute, if you haven't got a coil sitting there, you are bound to be in trouble!

The AWP range of tie wire covers every base, including the ever popular Farm Pack coil with a wire dispenser, to the cut lengths ready for you to grab and tie.



PART NO #	DIAMETER (MM)	TENSILE	LENGTH (MTR)	WEIGHT (EA)
TIE WIRE - CUT LENGTHS HEAVILY GALVANISED (RED CASE)				
50300	2.50	Soft	250	5.0 kg
50320	3.15	Soft	250	5.0 kg
TIE WIRE - GALFAN - ZINC ALUMINIUM (BLUE CASE)				
50305	2.50	Soft	300	5.0 kg
50325	3.15	Soft	300	5.0 kg
TIE WIRE - H.T. HEAVY GALVANISED (SP. ORDER)				
50330	3.151	Soft	1500	9.2 kg



PART NO #	DIAMETER (MM)	TENSILE	LENGTH (MTR)	COLOUR CODE	WEIGHT (EA)
TIE WIRE - HANDY PACK COIL GALVANISED					
50004	2.00	Soft	20	Green	0.5 kg
50005	1.57	Soft	30	Light Blue	0.5 kg
50006	1.25	Soft	50	Red	0.5 kg
50007	0.90	Soft	75	Yellow	0.4 kg



PART NO #	DIAMETER (MM)	TENSILE	LENGTH (MTR)	COLOUR CODE	WEIGHT (EA)
TIE WIRE - 1KG COIL GALVANISED					
50013	2.50	Soft	24	Light Brown	1.0 kg
50014	2.00	Soft	40	Green	1.0 kg
50015	1.57	Soft	60	Light Blue	1.0 kg
50016	1.25	Soft	95	Red	1.0 kg
50017	0.90	Soft	190	Yellow	1.0 kg



PART NO #	DIAMETER (MM)	TENSILE	LENGTH (MTR)	COLOUR CODE	WEIGHT (EA)
TIE WIRE - FARM PACK GALVANISED					
50222	2.50	Soft	80	Light Brown	3.1 kg
50224	2.00	Soft	120	Green	3.0 kg
50225	1.57	Soft	200	Light Blue	3.0 kg
50226	1.25	Soft	300	Light Brown	3.0 kg



*Weights as mentioned in the description are approximate and used for descriptive purposes only.

TIE WIRE

It doesn't matter where you go in Australia, a coil of tie wire is a must carry item!

From tying off a fence to a post, to holding the exhaust on the old EH Holden Ute, if you haven't got a coil sitting there, you are bound to be in trouble!

The AWP range of tie wire covers every base, including the ever popular Farm Pack coil with a wire dispenser, to the cut lengths ready for you to grab and tie.



PART NO #	DIAMETER (MM)	TENSILE	LENGTH (MTR)	COLOUR CODE	WEIGHT (EA)
TIE WIRE - 3KG COIL GALVANISED					
50030	4.00	Soft	30	White	3.0 kg
50031	3.15	Soft	48	Black	3.0 kg
50033	2.50	Soft	72	Light Brown	3.0 kg
50034	2.00	Soft	120	Green	3.0 kg
50035	1.57	Soft	180	Light Blue	3.0 kg
50036	1.25	Soft	285	Red	3.0 kg



PART NO #	DIAMETER (MM)	TENSILE	LENGTH (MTR)	COLOUR CODE	WEIGHT (EA)
TIE WIRE - 5KG COIL GALVANISED					
50050	4.00	Soft	50	White	5.0 kg
50051	3.15	Soft	80	Black	5.0 kg
50053	2.50	Soft	120	Light Brown	5.0 kg
50054	2.00	Soft	200	Green	5.0 kg
50055	1.57	Soft	320	Light Blue	5.0 kg



PART NO #	DIAMETER (MM)	TENSILE	LENGTH (MTR)	COLOUR CODE	WEIGHT (EA)
TIE WIRE - 10KG COIL GALVANISED					
50100	4.00	Soft	100	White	10.0 kg
50101	3.15	Soft	160	Black	10.0 kg
50103	2.50	Soft	240	Light Brown	10.0 kg
50104	2.00	Soft	400	Green	10.0 kg
50105	1.57	Soft	640	Light Blue	10.0 kg



PART NO #	DESCRIPTION	DIAMETER (MM)	TENSILE	LENGTH (MTR)	WEIGHT (EA)
HANDY FENCE & FENCE WIRE COILS					
10012	Handy Fence Wire	3.00	Soft	250	13.0 kg
10011	Handy Fence Wire	2.50	Medium	250	11.0 kg
700315	Fence Wire	2.50	Soft	1300	50.0 kg
700335	White PVC Horse Wire	5.20	-	400	44.0 kg

*Weights as mentioned in the description are approximate and used for descriptive purposes only.

WIRE JOINERS

FASTLINK™



Used around the world, for over 15 years, the **Fastlink™ Wire Joiner** is a joiner and tensioner all in one.

Join or tension wire easily with a **Fastlink™**. Push smooth wire or cable into the ends, leaving at least a 50mm (2-inch) tail to allow for tensioning. Galvanised steel rollers grip the wire as soon as tension is applied in the opposite direction.


Available in packets of:

- 20 for the Medium Joiner (suits 1.8 to 3.2mm wire/cable).
- 10 for the Large Joiner (suits 3.5 to 5.5mm wire/ cable).

Use the **Fastlink™ Tension Tool** to tension the wire in the joiner. The tool is manufactured with aluminium handles, and is constructed with everyday use in mind.



Links Wire Diameters:
1.8mm - 3.2mm



Links Wire Diameters:
3.5mm - 5.5mm



Part No. 12420



Part No. 12421



Part No. 12423



Part No. 12422



Part No. 12415



Part No. 12488



Part No. 12489



Part No. 12424

PART NO #	DESCRIPTION	SIZE	WEIGHT (EA)
WIRE JOINERS & TENSIONERS			
12420	FastLink™ Wire Joiner 1.80mm - 3.20mm	Pkt 20	0.5 kg
12421	FastLink™ Wire Joiner 1.80mm - 3.20mm	Bkt 300	7.5 kg
12415	FastLink™ Wire Joiner 3.50mm - 5.50mm	Pkt 10	0.7 kg
12422	FastLink™ Wire Joiner - Fence Ender	Pkt 20	0.7 kg
12423	FastLink™ Wire Joiner - Fence Ender	Bkt 250	9.58kg
12424	FastLink™ Wire Tensioning Tool	-	2.2 kg
12488	Fastvise 2.30 - 3.00mm	Pkt 10	0.1 kg
12489	Fastvise 3.00 - 4.00mm	Pkt 5	0.3 kg



Part No. 12440



Part No. 12435



Part No. 12450



Part No. 12434



Part No. 12428



Part No. 12430



Part No. 12433

WIRE JOINERS CRIMPS & TOOLS

Ever thought you could create a join in a cut or broken wire, that will exceed the breaking strain of the wire itself?

AWP's range of Crimp Sleeves, manufactured in New Zealand, have been joining wire all over the world for many years. All regular crimp sleeves come with a special water resistant grit adhesive for all-weather application.

PART NO #	DESCRIPTION	WEIGHT (EA)
STRAINRITE CRIMP SLEEVE		
12435	Crimp Sleeve - 2.50mm (Pot 100)	0.2 kg
12440	Crimp Sleeve - 2.50mm (Bkt 1000)	1.8 kg
12445	Crimp Sleeve - 3.15 mm (Pot 50)	0.2 kg
12450	Crimp Sleeve - 3.15 mm (Bkt 500)	2.4 kg
12452	Crimp Sleeve - 4.00 mm (Pot 50)	0.2 kg
12454	Crimp Sleeve - 4.00 mm (Bkt 1000)	4.1 kg
12456	Crimp Sleeve - 5.00 mm (Pot 50)	0.2 kg
12458	Crimp Sleeve - 5.00 mm (Bkt 500)	1.8kg
12434	Crimp Sleeve - Electric Wire (Pot 50)	0.2 kg
12459	Crimp Sleeve - Electric Wire (Bkt 1000)	4.1 kg
12436	Crimp Sleeve - IOWA Barbed Wire (Pot 50)	0.2 kg
12437	Crimp Sleeve - IOWA Barbed Wire (Bkt 1000)	3.5 kg

Crimp Sleeves made in New Zealand by:



No Matter your budget, AWP has a crimping tool to suit. From the entry level tool (Red Handle), up to the Battery Operated Power Jaw, you have a solution that will work hard.


PART NO #	DESCRIPTION	WEIGHT (EA)
CRIMPING TOOLS		
12428	Crimping Tool	2.6 kg
12430	EzeCrimp 3 in 1 Tool	1.4 kg
12433	Klauke Battery Crimper (Skin)	6.5 kg
12431	Die Set for Klauke Crimp Tool 3.0mm + Crimps	0.2 kg
12432	Die Set for Klauke Crimp Tool 2.5mm + Crimps	0.2 kg

RING FASTENING MANUAL

AWP'S range of manual Ring Fasteners includes tools and consumables to suit the handyman, farmer and contractor alike.



The AWP range of Airco Hand Ring Fastening tools consists of products that have been tested over time. Long lasting, and robust, they will work hard all day.



**Galfan® coating is a mixture of aluminum & zinc, giving a longer life to the finished product.*

PART NO #	DESCRIPTION	WEIGHT (EA)
NETTING CLIPS & PLIERS		
12300	Airco Ring Fastener Gun High Tensile - Ring Plier	0.5 kg
12301	Airco Ring Fasteners High Tensile (Pkt 1000)	1.0 kg
12302	AWP Ring Fasteners High Tensile (Pkt 1000)	0.9 kg
12304	AWP Ring Fasteners High Tensile - Contractor Pack (Bkt 7000)	6.6 kg
12305	Airco RP22 Hog Ring Plier	0.5 kg
12306	Airco RP22 Hog Rings (Pkt 1000)	1.0 kg
12307	Airco RP22 Hog Rings - Stainless Steel (Pkt 1000)	1.0 kg



Part No. 12400



Part No. 12405



Part No. 12406

PART NO #	DESCRIPTION	WEIGHT (EA)
NETTING CLIPS & PLIERS		
12400	16 x 2.00 mm Netting Clips (Pk 500)	0.5 kg
12405	Netting Clip Plier to suit 16mm clips (red handle)	0.2 kg
12401	19 x 2.24 mm Netting Clips (Pk 500)	0.7 kg
12406	Netting Clip Plier to suit 19mm clips (green handle)	0.2 kg



Part No. 12300



Part No. 12304



Part No. 12302



Part No. 12301



Part No. 12305



Part No. 12306

RING FASTENING PNEUMATIC & BATTERY

The AWP range of rural ring fastening is the most comprehensive in the Australian market. Offering hand tools and suitable rings, as well as Pneumatic and Battery Tools to enable professionals to install fencing faster.

Both the Battery and Pneumatic tool use the same C-style rings.



Part No. 12310

TOOL SPECIFICATION		
Weight with Battery	2.56 kg	5.53 lbs.
Height	373 mm	14 3/4"
Length	255 mm	10"
Width	115 mm	4 1/2"
Fastener Series	Airco 15100P Series	
Fastener Load	120 Rings	
Battery Pack	14.4V / 4 AH LI-ION Battery	
Charger Input	AC 100-240V/50-60Hz	
Charger Output	DC 10.8-14.4V	
Battery Model Number	BB144C-340	
Battery Clinches per Charge	1.600 - 1.800	
Charge Time	1 hour	



Part No. 12308



TOOL SPECIFICATION		
Weight	1.8 kg	3.41 lbs.
Height	355mm	14"
Length	193mm	7 3/5"
Width	102mm	4"
Fastener Series	Airco 15100P Series	
Fastener Load	100 Rings	
Regulated Operating Pressure	80-100 psi	



Part No. 12409




Part No. 12412



Part No. 12309



Part No. 12410



Features of the Airco Pneumatic Ring Gun:

- Packed in rigid plastic casing
- Soft Grip handle
- Easy load magazine
- Nitto style air connection
- Regulated Operating Pressure of 80-100 psi

Features of the Airco Battery Ring Gun:

- Packed in soft case bag
- 2x 18v Li-Ion batteries included
- Battery Charger & cord included
- Easy load magazine, holds 120 rings

AWP's range of C Rings will suit both the Airco Battery and Pneumatic Ring guns, as well as many other brands of Pneumatic Ring Guns commonly available for Rural Fencing.

Manufactured from Galfan® 1.80mm wire to ensure your fence will last. Available in a 1,000 piece retail plastic box, or 10,000 carton.

PART NO #	DESCRIPTION	WEIGHT (EA)
C RINGS		
12409	Clipfast Galfan C Rings (Pkt 1000)	0.8 kg
12309	Airco Galfan C Rings (Pkt 10,000)	7.0 kg
12412	Clipfast Galfan C Rings (Bkt 20,000)	15.4 kg
12410	Clipfast Grade 304 Stainless Steel C Rings (Pkt 1000)	1.8 kg

FENCING CLIPS & TIES

AWP's range of fencing clips & ties are designed help simplify the installation, construction and maintenance of your fence.

Built to save time and increase convenience, AWP's fencing clips & ties ensure you have all the right tools to build a fence that stands the test of time.

PART NO #	DESCRIPTION	WEIGHT (EA)
FENCING CLIPS & TIES		
12407	Fence Post Clips (250 Pkt)	2.0 kg
12411	Fence Post Clips (Contractor Packet 1750)	12.5 kg
12408	Tie Fast Tie Clips (500 Bkt + Spanner)	3.0 kg
12510	Retaining Clips & TEK Screws (Pkt 50)	0.6 kg
12515	Retaining Clips (Bkt 1000)	7.9 kg
12414	Barb-Lock Clip (300)	4.4 kg
12520	Fence Pins - HD GAL 300MM x 10MM (40 pcs)	7.3 kg
12500	Feral Bloc Pegs (Bkt 50)	5.4 kg
12525	Black Anneald Bag Ties 250MM (2000 Bundle)	10.0 kg
12527	Bag Tying Ratchet Tool	0.4 kg



Part No. 12407



Part No. 12411



Part No. 12408



Part No. 12510



Part No. 12515



Part No. 12414



Part No. 12520



Part No. 12527



Part No. 12525



Part No. 12500

FENCING STAPLES

Features that work as hard as you!

The Delfast range of Staplers and staples have been developed to deliver exceptional performance, reliability and ease of use.



Featuring:

- Easy tool free depth adjustment
- Easy loading magazine
- Balanced handle for comfort
- Swivel belt hook

What's in the case?

- 3.15mm / 4.00 mm Cordless Stapler
- 2 x Batteries
- Charger
- Hearing Protection

3.15MM SPECIFICATIONS		4.0MM SPECIFICATIONS	
Part No.	12615	Part No.	12620
Staple	3.15mm Ribbed	Staple	4.00mm Ribbed
Range (mm)	33 - 40mm	Range (mm)	50mm
Tool Width (mm)	108mm	Tool Width (mm)	108mm
Fastener Capacity	75	Fastener Capacity	60
Battery	Li-ion 7.2V	Battery	Li-ion 7.2V
Charge Time	2 hours	Charge Time	2 hours
Shots per Hour	Up to 1,000	Shots per Hour	Up to 1,000
Shots per Charge	Up to 8,000	Shots per Charge	Up to 8,000
Shots per Fuel Cell	Up to 1,200	Shots per Fuel Cell	Up to 1,200

RIBBED STAPLES + FUEL CELL. Holding the power to the MAX!

Delfast Ribbed Staples have a huge holding power, significantly better than that of both Plain and Barbed shank staples.

All staples feature Class 4 (350g/m2) Galvanising and the patented Diamond Coating, providing more holding power in timbers, and an extended life.

DELFAST
NAILED IT



PART NO #	DESCRIPTION	WEIGHT (EA)
FENCING STAPLES - COLLATED		
12615	Delfast Cordless Stapler - 3.15MM	7.8 kg
12620	Delfast Cordless Stapler - 4.00MM	5.7 kg
12600	Delfast Ribbed Staples w/Diamond Coat - 33 X 3.15MM (1500 + FUEL)	7.5 kg
12605	Delfast Ribbed Staples w/Diamond Coat - 40 X 3.15MM (1500 + FUEL)	8.3 kg
12610	Delfast Ribbed Staples w/Diamond Coat - 50 X 4.00MM (800 + FUEL)	6.8 kg
12625	Gas Fuel Cells for Delfast Staplers (2 Pk) - <i>Special Order Only</i>	1.0 kg
12626	Delfast 7.2V LI-ION Battery - <i>Special Order Only</i>	2.0 kg
12628	Delfast Cordless Cleaning Kit - <i>Special Order Only</i>	1.0 kg

FENCING STAPLES

AWP's Fencing Staple range is made tough to meet the tough Aussie conditions.

All staples are:

- Manufactured from 4.0mm wire
- Barbed
- Sharp with divergent points
- Hot Dip Galvanised after forming
- Packaged well

The range consists of 30mm, 40mm and, 50mm lengths. Staples are available in 500gm Clams, 2kg, 5kg and, 15kg buckets.

How many Staples per Kg?

- 30 x 4mm = 160 pcs
- 40 X 4mm = 120 pcs
- 50 X 4mm = 100 pcs



PART NO #	DESCRIPTION	WEIGHT (EA)
FENCING STAPLES		
12700	Drive Support - Fencing Staple	0.3 kg
12630	HDG Barbed 30 X 4MM (CLAM) - Fencing Staples	0.5 kg
12635	HDG Barbed 30 X 4MM (BOX) - Fencing Staples	2.0 kg
12640	HDG Barbed 30 X 4MM (TUB) - Fencing Staples	5.0 kg
12645	HDG Barbed 40 X 4MM (CLAM) - Fencing Staples	0.5 kg
12650	HDG Barbed 40 X 4MM (BOX) - Fencing Staples	2.0 kg
12655	HDG Barbed 40 X 4MM (TUB) - Fencing Staples	5.0 kg
12660	HDG Barbed 40 X 4MM (BUCKET) - Fencing Staples	15.0 kg
12665	HDG Barbed 50 X 4MM (CLAM) - Fencing Staples	0.5 kg
12670	HDG Barbed 50 X 4MM (BOX) - Fencing Staples	2.0 kg
12675	HDG Barbed 50 X 4MM (TUB) - Fencing Staples	5.0 kg
12680	HDG Barbed 50 X 4MM (BUCKET) - Fencing Staples	15.0 kg

FENCING TOOLS

Great tools make great fences!

The AWP Range of fencing tools & accessories, suits many fencing applications and is a 'must have' for erecting long standing fencing.

PART NO #	DESCRIPTION	WEIGHT (EA)
FENCING TOOLS & ACCESSORIES		
910020	Post Driver	9.0 kg
910019	Post Driver 1200MM	10.2 kg
910040	Post Lifter	10.0 kg
910041	Post Lifter - Blackjaw Gripping	6.8 kg
910060	Wire Spinner	9.0 kg
910062	Wire Spinner - 3 Way	20.0 kg
910065	Spares - 3 Way Wire Spinner Spring and Pins	1.0 kg



FENCING TOOLS

Great Tools make great fences!

The AWP Range of fencing tools and accessories, suits many fencing applications and is a 'must have' for erecting long standing fencing.

PART NO #	DESCRIPTION	WEIGHT (EA)
STRAINING TOOLS		
12468	Fence Clamp - 1250MM	9.0 kg
12475	Fence Clamp 4 Wedge Pack	0.6 kg
12470	Fence Clamp - 1900MM	18.5 kg
12460	Tension Indicator	1.6 kg
12540	Permanent Wire Strainer (Bkt 45)	8.0 kg
12570	Chain Strainer - Contractor RX2	3.2 kg

The NEW AWP Chain Strainer is here!

Packaged in a very handy metal toolbox, that can be used for everything around the shed or farm, this strainer has all the bells and whistles someone fencing will need.

In addition, we also have add-on products such as replacement chains & a great contractor handle that gives longer length and better leverage when fencing.

PART NO #	DESCRIPTION	WEIGHT (EA)
CHAIN STRAINER RANGE		
12576	Chain Strainer & Toolbox	5.1 kg
Set Includes:		
• Steel Toolbox • Chain Strainer • 1.5 Grab Chain w/ Hvy Duty Hook • Hvy Duty Hook & Swivel to connect to fence clamp		
12574	Grab Chain - 1.8MTR	1.5 kg
12575	Grab Chain - 4.5MTR	2.5 kg
12571	Contractor Extension Handle for Chain Strainer	0.4 kg
12573	Heavy Duty Hook for Chain Strainer	0.4 kg
12572	Chain Strainer Spring Kit	0.0 kg



Part No. 12468



Part No. 12460



Part No. 12570



Part No. 12475



Part No. 12540



Part No. 12576



Part No. 12574



Part No. 12575



Part No. 12573



Part No. 12571



Part No. 12572

FENCING TOOLS

AWP's range of fencing tools and accessories are designed to deliver great performance and exceptional value to both our resellers and consumers alike.

The Button Nose pliers available in both a 'naked handle' and 'PVC dipped handle' option, our tools are made of high quality materials, with all cutting edges being hardened.

The High Tensile Wire Cutter is spring loaded and has heat treated soft plastic handles to minimise fatigue for the user. The cutting jaw has been specifically designed for the rigours of Australian fencing, with a full cutting edge hardened all the way to the tip.



PART NO #	DESCRIPTION	WEIGHT (EA)
FENCING TOOLS & ACCESSORIES		
12550	Yellow Post Caps (Pkt 25)	0.5 kg
12530	Tying Tool	0.1 kg
12560	HT Wire Cutter - suits up to 4.0mm	1.5 kg
12562	Parrot Beak 10" Fencing Plier	0.7 kg
12565	Button Nose 10" Fencing Plier	0.7 kg
12566	Button Nose 12" Fencing Plier	0.7 kg
12585	Button Nose 10" Fencing Plier w/ Red Handles	0.6 kg
12586	Button Nose 12" Fencing Plier w/ Red Handles	0.8 kg

WIRE NETTING & WELDED MESH

Hexagonal wire netting is strong and can withstand strain. It is woven together from galvanised wires, ensuring the life of the product.

Note: It is recommended that new galvanised wire mesh used in aviaries and cages be treated to remove excess zinc that could possibly harm the pets/birds. Remove any excess zinc with a utility knife. The mesh/netting should then be scrubbed or wiped with a mild solution of vinegar (2 cups in a bucket of water), and rinsed with clean water.



PART NO #	DESCRIPTION	HEIGHT (MM)	SPACING (MM)	WIRE DIAM. (MM)	LENGTH (M)	WEIGHT (EA)
HARDWARE WIRE NETTING						
10435	Bird Netting	900	13 (1/2")	0.56	50	13.7 kg
10436	Bird Netting	1200	13 (1/2")	0.56	50	18.3 kg
10437	Bird Netting	1800	13 (1/2")	0.56	50	27.4 kg
10643	Animal Netting	900	30 (1")	0.90	50	20.0 kg
10642	Animal Netting	1200	30 (1")	0.90	50	27.0 kg
10640	Animal Netting	1800	30 (1")	0.90	50	40.0 kg
10645	Chicken Netting	900	50 (2")	1.00	50	12.5 kg
10644	Chicken Netting	1200	50 (2")	1.00	50	17.0 kg
10646	Chicken Netting	1800	50 (2")	1.00	50	25.5 kg

WIRE NETTING

AWP provides a wide variety of wire netting to meet all your needs. Our imported wire netting is available in all standard sizes at competitive prices. The AWP Fencing Products' wire netting range is manufactured overseas. Here are the standard features of our range:

Standard features of this product range are:

- Reverse Twist Construction
- Double Selvedge Wires
- Heavy Galvanised Wire
- True Netting Aperture

PART NO #	HEIGHT (MM)	SPACING (MM)	WIRE DIAM. (MM)	LENGTH (M)	WEIGHT (EA)
HEAVY DUTY WIRE NETTING					
750635	300	40 (1.5")	1.40	50	14.0 kg
750670	600	40 (1.5")	1.40	50	27.6 kg
750640	900	40 (1.5")	1.40	50	36.0 kg
750650	900	40 (1.5")	1.40	100	72.0 kg
750601	1050	40 (1.5")	1.40	50	42.0 kg
750605	1050	40 (1.5")	1.40	100	86.0 kg
750665	1200	40 (1.5")	1.40	50	48.0 kg
750661	1200	40 (1.5")	1.40	100	98.1 kg
750625	1800	40 (1.5")	1.40	50	71.9 kg
750660	900	50 (2")	1.60	50	33.8 kg
750662	1200	50 (2")	1.60	50	43.4 kg
750663	1800	50 (2")	1.60	50	67.8 kg

PART NO #	HEIGHT (MM)	SPACING (MM)	WIRE DIAM. (MM)	LENGTH (M)	WEIGHT (EA)
HANDYROLL & LIGHT DUTY WIRE NETTING					
710100	900	13 (1/2")	0.56	10	3.0 kg
710105	900	13 (1/2")	0.56	20	5.9 kg
710110	900	30 (1")	0.90	10	3.8 kg
710115	900	30 (1")	0.90	20	7.7 kg
710120	900	50 (2")	1.00	10	2.5 kg
710125	900	50 (2")	1.00	20	5.0 kg
720130	1200	50 (2")	1.00	10	3.3 kg
720135	1200	50 (2")	1.00	20	6.6 kg



FINE WELDED MESH



PART NO #	HEIGHT (MM)	SPACING (MM)	WIRE DIAM. (MM)	LENGTH (M)	WEIGHT (EA)
MOUSE & SNAKE MESH					
20016	900	6.5 x 6.5	0.63	30	19.5 kg
20019	1200	6.5 x 6.5	0.63	30	26.0 kg
AVIARY MESH - SMALL					
20870	900	12.5 x 12.5	0.80	30	15.4 kg
20824	1200	12.5 x 12.5	0.80	30	20.5 kg
AVIARY MESH - MEDIUM					
20822	900	12.5 x 12.5	1.24	30	39.4 kg
20825	1200	12.5 x 12.5	1.24	30	52.5 kg
20874	1800	12.5 x 12.5	1.24	15	38.0 kg
CAGE MESH					
20823	900	25 x 25	1.24	30	18.0 kg
20826	1200	25 x 25	1.24	30	24.0 kg
20827	1800	25 x 25	1.24	30	37.3 kg

PART NO #	HEIGHT (MM)	SPACING (MM)	WIRE DIAM. (MM)	LENGTH (M)	WEIGHT (EA)
HANDYMESH					
20875	900	6.5 x 6.5	0.60	10	6.4 kg
20867	900	12.5 x 12.5	0.80	10	5.2 kg
20878	900	25 x 25	1.24	10	6.2 kg



HEAVY WELDED MESH

AWP DIY Mesh is manufactured from 2.0 mm galvanised wire and has great strength and durability. Available in various mesh spacing, it is suitable for a wide range of applications. It can be cut to shape using bolt cutters, or bent and fabricated as required.

AWP Rural Mesh is manufactured from 2.5 mm galvanised wire. It has flush cut edges, and increased strength over our Do-It-Yourself Mesh, it will suit a multitude of uses.

Made from medium tensile galvanised wire:

- Wires are flush cut on all edges for easy and safe handling
- Comes in 2 handy panel sizes
- Available in various mesh spacings/apertures



PART NO #	HEIGHT (MM)	SPACING (MM)	WIRE DIAM. (MM)	LENGTH (M)	WEIGHT (EA)
DIY WELDED MESH ROLLS					
22322	900	50 x 50	2.00	30	26.2 kg
22422	1200	50 x 50	2.00	30	35.0 kg
22375	900	75 x 50	2.00	30	22.0 kg
22476	1200	75 x 50	2.00	30	30.0 kg
22675	1800	75 x 50	2.00	30	44.0 kg
22344	900	100 x 100	2.00	30	13.5 kg
22445	1200	100 x 100	2.00	30	18.0 kg
22644	1800	100 x 100	2.00	30	27.0 kg

PART NO #	HEIGHT (MM)	SPACING (MM)	WIRE DIAM. (MM)	LENGTH (M)	WEIGHT (EA)
RURAL WELDED MESH ROLLS					
21982	900	75 x 50	2.50	30	33.2 kg
21983	1200	75 x 50	2.50	30	44.3 kg
21988	1800	75 x 50	2.50	30	66.4 kg
21980	900	100 x 100	2.50	30	21.4 kg
21981	1200	100 x 100	2.50	30	28.5 kg
21989	1800	100 x 100	2.50	30	42.8 kg
RURAL WELDED MESH ROLLS - HEAVY GALVANISED					
21985	900	75 x 50	2.50	30	36.0 kg
21984	1200	75 x 75	2.50	30	48.0 kg



HEAVY WELDED MESH & CHAIN MESH



PART NO #	PANEL (MM)	SPACING (MM)	WIRE DIAM. (MM)	WEIGHT (EA)
-----------	------------	--------------	-----------------	-------------

WELDED MESH SHEETS/PANELS - 2000 X 1200

21888	2000 x 1200	25 x 25	2.24	6.0 kg
21870	2000 x 1200	50 x 50	3.00	5.5 kg
21871	2000 x 1200	50 x 50	4.00	9.8 kg
21887	2000 x 1200	75 x 50	3.50	6.4 kg
21886	2000 x 1200	100 x 100	4.00	5.1 kg

WELDED MESH SHEETS/PANELS - 2400 x 1200

21898	2400 x 1200	25 x 25	2.24	7.2 kg
21880	2400 x 1200	50 x 50	3.00	6.6 kg
21881	2400 x 1200	50 x 50	4.00	11.7 kg
21897	2400 x 1200	75 x 50	3.50	7.5 kg
21896	2400 x 1200	100 x 100	4.00	6.0 kg

PART NO #	HEIGHT (MM)	SPACING (MM)	WIRE DIAM. (MM)	LENGTH (M)	WEIGHT (EA)
-----------	-------------	--------------	-----------------	------------	-------------

CHAIN MESH - STANDARD GALVANISED (QLD ONLY)

800805	1800	50	2.50	15	42.0 kg
800830	900	60	2.50	20	24.0 kg
800820	1200	60	2.50	20	33.0 kg
800810	1500	60	2.50	20	41.0 kg
800800	1800	60	2.50	20	48.0 kg

PART NO #	HEIGHT (MM)	SPACING (MM)	WIRE DIAM. (MM)	LENGTH (M)	WEIGHT (EA)
-----------	-------------	--------------	-----------------	------------	-------------

CHAIN MESH - HEAVY GALVANISED

800880	900	50	2.50	15	22.0 kg
800890	1200	50	2.50	15	30.0 kg
800895	1500	50	2.50	15	36.0 kg
800900	1800	50	2.50	15	42.0 kg
800910	2400	50	2.50	10	42.0 kg
800920	3000	50	2.50	10	49.0 kg
800849	1800	50	3.15	10	46.0 kg

PART NO #	HEIGHT (MM)	SPACING (MM)	WIRE DIAM. (MM)	LENGTH (M)	WEIGHT (EA)
-----------	-------------	--------------	-----------------	------------	-------------

CHAIN MESH - BLACK PVC COATED

800700	900	50	2.50	15	26.0 kg
800701	1200	50	2.50	15	34.0 kg
800702	1500	50	2.50	15	43.0 kg
800703	1800	50	2.50	15	50.0 kg
800850	900	60	2.50	20	30.0 kg
800851	1200	60	2.50	20	38.0 kg
800852	1500	60	2.50	20	47.0 kg
800853	1800	60	2.50	20	55.0 kg
800843	1800	50	3.15	10	55.0 kg

PART NO #	DESCRIPTION	LENGTH (M)	WEIGHT (EA)
-----------	-------------	------------	-------------

CHAIN MESH - LINE & TIE WIRES

10013	Line Wire - Black PVC Coated - 2.50MM	500	25.0 kg
10015	Line Wire - Black PVC Coated - 3.15MM	350	25.0 kg
10019	Helicoil Galvanised - 4.00MM	250	25.0 kg
50110	Tie Wire - Black PVC - 2.00MM (5KG)	160	5.0 kg
50115	Tie Wire - Black PVC - 1.57MM (5KG)	285	5.0 kg



Austral Wire Products

100% Australian
Family Owned Company

CONTACT US!

PH: 1300 384 981 | FAX: 1300 384 985

EM: sales@australwire.com.au

www.australwire.com.au

FACTORY: 15 OATLEY CLOSE, BLACKTOWN NSW 2148

POSTAL: PO BOX 6709, WETHERILL PARK NSW 2164

**PRODUCT
CATALOGUE
2025**