

ANGAS™

FENCING PRODUCTS

Sydney, Australia

PRODUCT CATALOGUE

QUALITY
PERFORMANCE
RELIABILITY

Ph: 1300 384 981

sales@australwire.com

www.angasfencing.com.au



**Austral Wire
Products**

100% Australian
Family Owned Company



CONTENTS

MAX-LOC DOG FENCE	3
MAX-LOC YARD & ACRE MESH	4
MAX-LOC LITE FIELD FENCE	5
MAX-LOC TRADITIONAL	6
HINGED JOINT PREMIUM	8
HINGED JOINT STANDARD	9
WIRE NETTING	10
BARBED WIRE & FENCING WIRE	11

HOW TO CONTACT US

Factory: 15 Oatley Close, Blacktown NSW 2148
 Mail: PO BOX 6709, Wetherill Park NSW 2164
 Phone: 1300 384 981
 Web: www.angasfencing.com.au

For a list of resellers please contact us above.

Austral Wire Products, the manufacturers of the Angas Fencing product range, have been producing high quality fencing for many years. The diverse range includes:

- Max-Loc
- Wire Netting
- Fencing Wire
- Hinged Joint
- Barbed Wire

All Angas Fencing products are manufactured to comply with Australian Standard AS2423-2002.

PRODUCTION EQUIPMENT

We use specialised high production machines. These world class machines feature the best technology available for the manufacture of wire fencing products.

WIRE RAW MATERIALS

Angas Fencing source raw materials from wire mills locally and worldwide, ensuring continuity of supply and consistent quality. Our suppliers are the best in the world, only supplying raw materials that comply with Australian Standard AS2423-2002 stringent quality assured standards.

TESTING

State of the art testing equipment is used to ensure accurate tensility of every coil of wire used. This quality operating procedure combined with close attention to the detail of the manufacturing process confidently ensures Angas Fencing supplies a well-made, long lasting fence for the tough Australian conditions.

AVAILABILITY

Angas Fencing, to ensure an adequate supply to the requirements of its resellers, warehouse finished manufactured stock at Blacktown. Angas Fencing products are only distributed through Australian rural resellers. Angas Fencing does not supply to non bona fide resellers.

Note: This product range is suitable for most rural fencing applications. If the products are exposed to strong chemicals, pollutants and/or corrosion sources, the performance may be adversely affected. As these fencing products will be installed in widely varying situations, you must use diligence to ensure that what is selected is adequate for the purpose. We do not accept liability for loss, damage or consequence for claims based on using this fencing catalogue.


MAX & LOC

DOG FENCE

- Made stronger to last longer
- Can be tensioned to create a quality fence
- Graduated line wire spacing ideal for large & small dogs
- All wires standard galvanised high tensile
- Manufactured in Sydney, Australia

CODE	SIZE	LENGTH	WIRE DIAMETER	WEIGHT KG/ROLL	ROLLS/PALLET
105760	12 / 120 / 15	50 m	2.00 mm	32 kg	16
105765	12 / 120 / 15	100 m	2.00 mm	63 kg	9
100760	12 / 120 / 15	50 m	2.50 mm	47 kg	16
100765	12 / 120 / 15	100 m	2.50 mm	92 kg	9

WILD DOG MESH (WITH 2.50MM TOP & BOTTOM LINE WIRES)					
105728	13 / 115 / 15	100 m	2.00 mm	65 kg	9




MAX & LOC

YARD & ACRE MESH

- Unique smooth knot design, provides no sharp edges to cause injury
- 2.00mm High Tensile line & picket wires
- 2.50mm High Tensile top & bottom wires
- All wires standard galvanised high tensile
- Manufactured in Sydney, Australia

CODE	SIZE	LENGTH	WIRE DIAMETER	WEIGHT KG/ROLL	ROLLS/PALLET
YARD MESH					
105740	10 / 90 / 5	50 m	2.00 mm	49 kg	9
105775	13 / 122 / 5	50 m	2.00 mm	63 kg	9
ACRE MESH					
105745	10 / 90 / 10	50 m	2.00 mm	34 kg	9
105750	10 / 90 / 10	100 m	2.00 mm	66 kg	5
105780	13 / 122 / 10	50 m	2.00 mm	42 kg	9
105785	13 / 122 / 10	100 m	2.00 mm	83 kg	5




MAX & LOC

LITE FIELD FENCE

- Smooth knot both sides. No sharp edges to cause injury to animals
- 2.50mm top and bottom line wires
- All wires standard galvanised high tensile
- Quality construction for light applications
- Manufactured in Sydney, Australia

CODE	SIZE	LENGTH	WIRE DIAMETER	WEIGHT KG/ROLL	ROLLS/PALLET
105733**	8 / 90 / 15	50 m	2.00 mm	23 kg	16
105735	8 / 90 / 15	100m	2.00 mm	46 kg	9
105718**	8 / 115 / 15	50 m	2.00 mm	24 kg	16
105720	8 / 115 / 15	100 m	2.00 mm	50 kg	9

** 2.0mm Top & Bottom Wires



MAX & LOC


TRADITIONAL

- Smooth knot both sides. No sharp edges to cause injury to animals
- Knot design resists slipping along either picket or line wires
- All wires 2.50mm standard galvanised high tensile
- Manufactured in Sydney, Australia


CODE	SIZE	LENGTH	WIRE DIAMETER	WEIGHT KG/ROLL	ROLLS/PALLET
100703	5 / 70 / 30	200 m	2.50 mm	63 kg	9
100705	6 / 70 / 30	200 m	2.50 mm	74 kg	9
100710	6 / 90 / 30	200 m	2.50 mm	73 kg	9
100712	6 / 90 / 30	500 m	2.50 mm	185 kg	4
100715	7 / 90 / 30	200 m	2.50 mm	81 kg	9
100718	7 / 90 / 30	500 m	2.50 mm	218 kg	4
100740	8 / 90 / 30	200 m	2.50 mm	89 kg	9
100745	8 / 90 / 30	500 m	2.50 mm	230 kg	4
100725	8 / 115 / 30	200 m	2.50 mm	98 kg	9
100730	8 / 80 / 15	100 m	2.50 mm	58 kg	9
100735	8 / 90 / 15	100 m	2.50 mm	60 kg	9
100737	8 / 90 / 15	250 m	2.50 mm	152 kg	4
100720	8 / 115 / 15	100 m	2.50 mm	67 kg	9
100722	8 / 115 / 15	250 m	2.50 mm	175 kg	4
100701	11 / 142 / 15	100 m	2.50 mm	89 kg	9




TRADITIONAL LINE WIRE SPACINGS




5 / 70 / 30




6 / 70 / 30




6 / 90 / 30




7 / 90 / 30




8 / 90 / 30



8 / 115 / 30



8 / 80 / 15



11 / 142 / 15



HINGED JOINT

BLACK ANGAS (PREMIUM)

- The Black Angas Hinged Joint range is specially made for those who require a stronger fence
- 2.80mm top & bottom wires
- All line wires high tensile
- All standard galvanised wire
- Manufactured in Sydney, Australia



CODE	SIZE	LENGTH	WEIGHT KG/ROLL	ROLLS/PALLET
100505	6 / 70 / 30	200 m	78 kg	9
100510	6 / 90 / 30	200 m	79 kg	9
100515	7 / 90 / 30	200 m	91 kg	9
100540	8 / 90 / 30	200 m	97 kg	9
100525	8 / 115 / 30	200 m	106 kg	9
100535	8 / 90 / 15	100 m	68 kg	9
100537	8 / 90 / 15	200 m	131 kg	5
100501	11 / 142 / 15	100 m	95 kg	9




HINGED JOINT

STANDARD

- The Standard Hinged Joint is suited to all fencing requirements.
- All wires 2.50mm
- All line wires high tensile
- All standard galvanised wire
- Manufactured in Sydney, Australia

CODE	SIZE	LENGTH	WEIGHT KG/ROLL	ROLLS/ PALLET
100410	6 / 70 / 30	200 m	73 kg	9
100415	6 / 90 / 30	200 m	76 kg	9
100420	7 / 90 / 30	200 m	88 kg	9
100422	7 / 90 / 30	500 m	221 kg	4
100445	8 / 90 / 30	200 m	94 kg	9
100430	8 / 115 / 30	200 m	103 kg	9
100435	8 / 80 / 15	100 m	64 kg	9
100440	8 / 90 / 15	100 m	66 kg	9
100442	8 / 90 / 15	200 m	131 kg	5
100425	8 / 115 / 15	100 m	72 kg	9
100401	11 / 142 / 15	100 m	93 kg	9




WIRE NETTING

Angas Fencing Netting offers the following features:

- Reverse twist knot
- Double selvedge wires
- Consistent width throughout roll
- Manufactured in Sydney, Australia

CODE	SIZE	LENGTH	WEIGHT KG/ROLL	GAL. COATING	ROLLS/ PALLET
100660	30 / 4 / 1.4	50 m	16 kg	Heavy	48
100630	30 / 4 / 1.4	100 m	31 kg	Heavy	18
100633	60 / 4 / 1.4	50 m	30 kg	Heavy	16
100635	60 / 4 / 1.4	100 m	60 kg	Heavy	9
100640	90 / 4 / 1.4	50 m	43 kg	Heavy	16
100650	90 / 4 / 1.4	100 m	86 kg	Heavy	9
100601	105 / 4 / 1.4	50 m	49 kg	Heavy	16
100605	105 / 4 / 1.4	100 m	98 kg	Heavy	9
100665	120 / 4 / 1.4	50 m	50 kg	Heavy	16
100666	120 / 4 / 1.4	100 m	100 kg	Heavy	9
100620	180 / 4 / 1.4	50 m	78 kg	Heavy	7
100655	90 / 5 / 1.0	50 m	16 kg	Standard	25
100615	120 / 5 / 1.0	50 m	20 kg	Standard	25
100625	180 / 5 / 1.0	50 m	28 kg	Standard	20



Netting Description Example
 30 / 4 / 1.4 x 50m (100660)
 30cm = Width of roll / Height of fence
 4cm = hexagonal netting aperture
 1.4mm - Wire diameter

BARBED WIRE

Angas Fencing Barbed Wire comes with the guaranteed quality of being manufactured in Australia. Packaged on wooden spools with handles for easy unwind.

CODE	SIZE	LENGTH	WEIGHT KG/ROLL	GAL. COATING	ROLLS/ PALLET
HIGH TENSILE					
100104	1.80 mm	50 m	3 kg	Heavy	5
100101	1.57 mm	500 m	25 kg	Heavy	48
100105	1.80 mm	500 m	30 kg	Heavy	36
100107	2.00 mm	500 m	38 kg	Heavy	27
IOWA / SOFT TENSILE					
100115	2.50 mm	400 m	44 kg	Standard	27



HIGH TENSILE



IOWA

FENCING WIRE

Angas Fencing Wire is coiled in Australia on world class machinery resulting in a product that will give trouble free pay off.

CODE	SIZE	LENGTH	WEIGHT KG/ROLL	GAL. COATING	TENSILE	REC. TENSION	PACK/ QTY
SOFT TENSILE							
100330	4.00 mm	500 m	49 kg	Standard	Soft	1.8 Kn	10
100325	3.15 mm	750 m	47 kg	Standard	Soft	1.2 Kn	10
100315	2.50 mm	1500 m	58 kg	Standard	Soft	1.0 Kn	10
100301	2.00 mm	2000 m	52 kg	Standard	Soft	-	10
100335	5.20 mm	400 m	43 kg	White PVC	-	-	5
HIGH / MEDIUM TENSILE							
100320	2.80 mm	1000m	48 kg	Standard	High	2.0 Kn	10
100310	2.50 mm	1500 m	58 kg	Standard	Medium	1.3 Kn	10
100305	2.50 mm	1500 m	58 kg	Standard	High	1.8 Kn	10





**Austral Wire
Products**

100% Australian
Family Owned Company

ANGAS™

FENCING PRODUCTS

Sydney, Australia

**QUALITY
PERFORMANCE
RELIABILITY**



Ph: 1300 384 981

Website: www.angasfencing.com.au

Factory: 15 Oatley Close, Blacktown NSW 2148

Disclaimer: This product range is suitable for most fencing applications. If the products are exposed to strong chemicals, pollutants and/or corrosive sources, the performance may be adversely affected. As fencing products are installed in widely varying situations, diligence must be used to ensure that what is selected is adequate for the purpose. We do not accept liability for loss, damage or consequences for claims based on using this fencing catalogue. Printed October 2022. E&OE. Supersedes all previous catalogues.